REFERENCES

Ackland TR, Ong KB, Kerr DA, Ridge B. (2003). Morphological characteristics of Olympic sprint canoe and kayak paddlers. Journal of Science and Medicine in Sport. 6:285-294.

Bayios IA, Bergeles NK, Apostolidis NG, Noutsos KS, Koskolou MD. (2006). Anthropometric, body composition and somatotype differences of Greek elite female basketball, volleyball and handball players. J Sports Med Phys Fitness, 46, 2: 271-80.

Bourgois J, Albrecht L, Claessens Jv, Renaat P, Renterghem Bv, Thomis M, Janssens M, Loos R, Lefevre J. (2000). Anthropometric characteristics of elite male junior rowers. British Journal of Sports Medicine. 34:213-216.

Bourgois J, Claessens Al, Janssens M, Van Renterghem B, Loos R, Thomis M,Philippaerts R, Lefevre J, Vrijens J. (2001). Anthropometric characteristics of elite female junior rowers. J Sports Sci. 19(3):195-202.

Cagno A, Baldari C, Battaglia C, Guidetti L, Piazza M. (2009). Anthropometric characteristics evolution in elite rhythmic gymnasts. Ital J Anat Embryol, 113, 1: 29-35.

Camic CL, Housh TJ, Mielke M, Hendrix CR, M Zuniga J, Johnson GO, Housh DJ,Schmidt RJ. (2009). Age-related patterns of anthropometric characteristics in young wrestlers. Med Sci Sports Exerc, 41, 5:1014-9.

Carling C, le Gall F, Reilly T, Williams AM. (2009). Do anthropometric and fitness characteristics vary according to birth date distribution in elite youth academy soccer players? Scand J Med Sci Sports, 19, 1: 3-9.

Chaouachi A, Brughelli M, Levin G, Boudhina NB, Cronin J, Chamari K. (2009). Anthropometric, physiological and performance characteristics of elite teamhandball players. J Sports Sci. 15, 27, 2:151-7.

Chatterjee S, Chatterjee P, Bandyopadhyay A. (2006). Skinfold thickness, body fat percentage and body mass index in obese and non-obese Indian boys. Asia Pacific Journal of Clinical Nutrition. 15: 232–235.

Claessens Al, Hlatky S, Lefevre J, Holdhaus H. (1994). The role of anthropometric characteristics in modern pentathlon performance in female athletes. Journal of Sports Sciences. 12:391-401.

Claessens, A.L., Hlatky, S., Lefevre, J., & Holdhaus, H. (1994). The role of anthropometric characteristics in modern pentathlon performance in female athletes. Journal of Sports Sciences, 12, 391-401.

D.B. Pyne, A.S. Gardner, K. Sheehan, W.G. Hopkins. (2006). Positional differences in fitness and anthropometric characteristics in Australian football. Journal of Science and Medicine in sports, 9, 1-2: 143-150.

Davies R, Du-Randt R, Venter D, Stretch R. (2008). Cricket: Nature and incidence of fast-bowling injuries at an elite, junior level and associated risk factors. South African Journal of Sports Medicine. 20(4):115-118.

Davor Šentija, Marija Rakovac, Vesna Babić. (2011). Anthropometric characteristics and gait transition speed in human locomotion. Human Movement Science, In Press, Corrected Proof, Available online.

Douda HT, Toubekis AG, Avloniti AA, Tokmakidis SP. (2008). Physiological and anthropometric determinants of rhythmic gymnastics performance. Int. J Sports Physiology Performance, 3, 1: 41-54.

Duncan MJ, Woodfield L, al-Nakeeb Y. (2006). Anthropometric and physiological characteristics of junior elite volleyball players. Br J Sports Med, 40, 7: 649- 51.

Dupler TL, Amonette WE, Coleman AE, Hoffman JR, Wenzel T. (2010). Anthropometric and performance differences among high-school football players. J Strength Cond Res, 24, 8:1975-82.

Figueiredo AJ, Coelho E Silva MJ, Cumming SP, Malina RM. (2010). Size and maturity mismatch in youth soccer players 11- to 14-years-old. Pediatric Exercise Sci., 2, 4:596-612.

Fonseca-Toledo C, Roquetti P, Fernandes-Filho J. (2010). Anthropometrical profile of Brazilian junior volleyball players for different sports requirement levels. Rev Salud Publica.12, 6: 915-28. Franck le Gall, Christopher Carling, Mark Williams, Thomas Reilly. (2010).

Anthropometric and fitness characteristics of international, professional and amateur male graduate soccer players from an elite youth academy. Journal of Science and Medicine in sports, 13, 1: 90-95.

French KE, Spurgeon JH, Nevett ME. (2007). Anthropometric characteristics of Columbia, South Carolina, youth baseball players and Dixie Youth World Series players. Res Q Exerc Sport, 78, 3: 179-88.

Gabbet Tj. (2000). Physiological and anthropometric characteristics amateur rugby players. British Journal of Sports Medicine. 34:303-307.

Gabbett T, Georgieff B. (2007). Physiological and anthropometric characteristics of Australian junior national, state, and novice volleyball players. J Strength Cond Res, 21, 3: 902-8.

Gabbett T, Kelly J, Ralph S, Driscoll D. (2009). Physiological and anthropometric characteristics of junior elite and sub-elite rugby league players, with special reference to starters and non-starters. J Sci Med Sport, 12, 1: 215-22.

Gabbett TJ, Jenkins DG, Abernethy B. (2010). Physiological and anthropometric correlates of tackling ability in junior elite and sub elite rugby league players. J Strength Cond Res, 24, 11: 2989-95.

Gabbett TJ. (2006). A comparison of physiological and anthropometric characteristics among playing positions in sub-elite rugby league players. J Sports Sci, 24, 12:1273-80.

Gabbett TJ. (2007). Physiological and anthropometric characteristics of elite women rugby league players J Strength Cond Res, 21, 3: 875-81.

Gabbett TJ. (2009). Physiological and anthropometric characteristics of starters and non-starters in junior rugby league players, aged 13-17 years. J Sports Med Phys Fitness, 49, 3:233-9.

Ghosh A. (2010). Association of anthropometric, body composition and physiological measures with physical activity level among the children and adolescents of Asian Indian origin: the Calcutta obesity study. J Nutr Health Aging, 14, 9:
731-5.

Gil S, Ruiz F, Irazusta A, Gil J, Irazusta J. (2007). Selection of young soccer players in terms of anthropometric and physiological factors. J Sports Med Phys Fitness, 47, 1: 25-32.

Gil SM, Gil J, Ruiz F, Irazusta A, Irazusta J. (2007). Physiological and anthropometric characteristics of young soccer players according to their playing position: relevance for the selection process. J Strength Cond Res, 21, 2: 438-45.

Goić-Barisić I, Bradarić A, Erceg M, Barisić I, Foretić N, Pavlov N, Tocilj J. (2006). Influence of passive smoking on basic anthropometric characteristics and respiratory function in young athletes. Coll Antropol, 30, 3: 615-9.

Gravina L, Gil SM, Ruiz F, Zubero J, Gil J, Irazusta J. (2008). Anthropometric and physiological differences between first team and reserve soccer players aged 10-14 years at the beginning and end of the season. J Strength Cond Res, 22, 4:1308-14.

Greene JJ, McGuine TA, Leverson G, Best TM. (1998). Anthropometric and performance measures for high school basketball players. J Athl Train, 33, 3: 229-32.

Hasan AA, Reilly T, Cable NT, Ramadan J. (2007). Anthropometric profiles of elite Asian female handball players. J Sports Med Phys Fitness, 47, 2: 197-202.

Hirose N. (2009). Relationships among birth-month distribution, skeletal age and anthropometric characteristics in adolescent elite soccer players. J Sports Sci, 27, 11:1159-66.

Hoffman MD. (2008). Anthropometric characteristics of ultra marathoners. Int J Sports Med, 29, 10: 808-11.

Hurd WJ, Morrey BF, Kaufman KR. (2011). The effects of anthropometric scaling parameters on normalized muscle strength in uninjured baseball pitchers. J Sport Rehabil, 20, 3: 311-20.

Ingebrigtsen J, Dillern T, Shalfawi SA. (2011). Aerobic capacities and anthropometric characteristics of elite female soccer players. J Strength Cond Res, 25, 12: 3352-7.

Knechtle B, Baumann B, Knechtle P, Rosemann T. (2010). Speed during training and anthropometric measures in relation to race performance by male and female open-water ultra-endurance swimmers. Percept Mot Skills, 111, 2: 463-74.

Koley S, Sandhu Js. (2005). An Introduction to Kinanthropometry. New Delhi: Friends Publications.

Koley S. (2006). New Horizons in Kinanthropometry. New Delhi: Friends Publications.

Koley, S., Yadav, M.K., & Sandhu, J.S. (2009). Estimation of hand grip strength and
Its association with some anthropometric traits in cricketers of Amritsar, Punjab, India. Internet Journal of Biological Anthropology. 3, 1.

Kumar, A., Koley, S., & Sandhu, J.S. (2007). Anthropometric and physiological relationship of cricketers. Research Bi-Annual for Movement, 23, 34-45.

Lago-Penas C, Casais L, Dellal A, Rey E, Dominguez E. (2011). Anthropometric and physiological characteristics of young soccer players according to their playing positions: relevance for competition success. J Strength Cond Res, 25, 12: 3358-67.

Lambros Laios, John Giannatsis. (2010). Ergonomic evaluation and redesign of children bicycles based on anthropometric data. Applied Ergonomics, Volume 41, 3: 428-435.

Landers, G.J., Blanksby, B.A., Ackland, T.R., & Smith, D. (2000). Morphology and performance of world championship triathletes. Annals of Human Biology, 27, 387-400.

Gall F, Carling C, Williams M, Reilly T. (2010). Anthropometric and fitness characteristics of international, professional and amateur male graduate soccer players from an elite youth academy. J Sci Med Sport, 13, 1: 90-5.

Leicht AS. (2007). Aerobic power and anthropometric characteristics of elite basketball referees J Sports Med Phys Fitness, 47, 1: 46-50.

Lundy B, O'Connor H, Pelly F, Caterson I. (2006). Anthropometric characteristics and competition dietary intakes of professional rugby league players. Int J Sport Nutr Exerc Metab, 16, 2:199-213.

M. Wang, A.B. Leger, G.A. (2005). Dumas Prediction of back strength usinganthropometric and strength measurements in healthy females. Clinical Biomechanics, 20, 7: 685-692.

Mal B. (1982). Scoring ability in football. SNIPES J, 22.

Malina, R.M. Zavaleta, A.N. & Little, B.B. (1987). Body size, fatness, and leanness of Mexican American children in Brownsville, Texas. American Journal of Public Health, 77, 5, 573-577.

Martinez S, Pasquarelli BN, Romaguera D, Arasa C, Tauler P, Aguilo A. (2011). Anthropometric characteristics and nutritional profile of young amateur swimmers. J Strength Cond Res, 25, 4:1126-33.

Mirkov DM, Kukolj M, Ugarkovic D, Koprivica VJ, Jaric S. (2010). Development of anthropometric and physical performance profiles of young elite male soccerplayers: a longitudinal study. J Strength Cond Res, 24, 10: 2677-82.

Monteiro WD, Farinatti PT, de Oliveira CG, Araujo CG. (2011). Variability of cardio-respiratory, electromyographic, and perceived exertion responses at the walk-run

transition in a sample of young men controlled for anthropometricand fitness characteristics. Eur J Appl Physiol, 111, 6:1017-26.

Morgan PJ, Callister R. (2011). Effects of a preseason intervention on anthropometric characteristics of semiprofessional rugby league players. J Strength Cond Res, 25, 2: 432-40.

Osborough CD, Payton CJ, Daly DJ. (2009). Relationships between the front crawl stroke parameters of competitive unilateral arm amputee swimmers, with selected anthropometric characteristics. J Appl Biomech, 25, 4:304-12.

Parizkova J, Adamec A. (1980). Longitudinal study of anthropometric, skinfold, work, and motor characteristics of boys and girls, three to six years of age. Am J Phys Anthropol.; 52, 3: 387-96.

Pelin C, Kurkcuoğlu A, Ozener B, Yazici AC. (2009). Anthropometric characteristicsof young Turkish male athletes. Coll Antropol, 33, 4:1057-63.

Platanou T, Varamenti E. (2011). Relationships between anthropometric and physiological characteristics with throwing velocity and on water jump of female water polo players. J Sports Med Phys Fitness, 51, 2:185-93.

Porto YC, Almeida M, de Sa CK, Schwingel PA, Zoppi CC. (2008). Anthropometric and physical characteristics of motor disabilited paralympic rowers. Res Sports Med, 16, 3: 203-12.

Powers, S.K. and Howley, E.T. (1997). Exercise physiology. Brown & Benchmark Publishers, Madison.

Pyne DB, Duthie GM, Saunders PU, Petersen CA, Portus MR. (2006).Anthropometric and strength correlates of fast bowling speed in junior and senior cricketers. J Strength Cond Res.; 20, 3: 620-6.

Pyne DB, Gardner AS, Sheehan K, Hopkins WG. (2006). Positional differences in fitness and anthropometric characteristics in Australian football. J Sci Med Sport, 9, 1: 143-50.

Re AH, Correa UC, Bohme MT. (2010). Anthropometric characteristics and motor skills in talent selection and development in indoor soccer. Percept Mot Skills, 110, 3: 916-30.

Reilly T, Bangsbo J, Franks A. (2000). Anthropometric and physiological predispositions for elite soccer. Journal of Sports Sciences. 18(9):669-83.

Rico-Sanz J. (1998). Body composition and nutritional assessments in soccer. International Journal of Sport Nutrition. 8:113–123.

Ross, C.H. & Rosblad, B. (2002). Norms for grip strength in children aged 4–16 years. Acta Paediatrica, 91, 6, 617-625.

S.A. Robertson, A. Minter. (1996). A study of some Anthropometric characteristics of motorcycle riders. Applied Ergonomics, 27, 4: 23-229

Salazar-Lioggiodice M, Arroyo E, Perez B. (2006). Anthropometric characteristics and skeletal maturity of male Venezuelan swimmers. Invest Clin, 47, 2:143- 54.

Sanchez-Munoz C, Sanz D, Zabala M. (2007). Anthropometric characteristics, body mposition and somatotype of elite junior tennis players. Br J Sports Med, 41, 11: 793-9.

Siatras T, Skaperda M, Mameletzi D. (2010). Reliability of anthropometric measurements in young male and female artistic gymnasts. Med Probl Perform Art, 25, 4: 162-6.

Slater Gj, Rice Aj, Mujika I, Hahn Ag, Sharp K, Jenkins Dg. (2005). Physique traits of lightweight rowers and their relationship to competitive success. British Journal of Sports Medicine. 39:736-741.

Slater, G.J., Rice, A.J., Mujika, I., Hahn, A.G., Sharp, K., & Jenkins, D.G. (2005). Physique traits of lightweight rowers and their relationship to competitive success. British Journal of Sports Medicine, 39, 736-741.

Sodhi, H.S. (1991): Sports Anthropometry. ANOVA Publication, Mohali India, 165.

Stoggl T, Enqvist J, Muller E, Holmberg HC. (2010). Relationships between body composition, body dimensions, and peak speed in cross-country sprint skiing. J Sports Sci., 28, 2: 161-9.

Stretch Ra, Buys Fj. (1991). Anthropometric profile and body composition changes in first-class cricketers. South African Journal for Research in Sport, Physical Education and Recreation. 14(2):57-64.

Stretch Ra. (1987). Anthropometric profile of first-class cricketers. South African Journal for Research in Sport, Physical Education and Recreation. 10(1):65- 75.

Stretch, R.A. (1987). Anthropometric profile of first-class cricketers. S.A. Journal for Research in Sport, Physical Education and Recreation, 10, 65-75. Stretch, R.A. (1991). Anthropometric profile and body composition changes in firstclass cricketers. S.A. Journal for Research in Sport, Physical Education and Recreation. 14, 57-64.

Stuelcken M, Pyne D, Sinclair P.Source. (2007). Anthropometric characteristics of elite cricket fast bowlers. School of Exercise and Sports Science, Faculty of Health Sciences, University of Sydney, Lidcombe, NSW, Australia. J Sports Sci. 2514: 1587-97.

Stuelcken, M., Pyne, D. & Sicclair, P. (2007). Anthropometric characteristics of elite cricket fast bowlers. Journal of Sports Sciences, 25, 1587-1597.

Tan FH, Polglaze T, Dawson B, Cox G. (2009). Anthropometric and fitness characteristics of elite Australian female water polo players J Strength Cond Res, 23, 5:1530-6.

Temfemo A, Hugues J, Chardon K, Mandengue SH, Ahmaidi S. (2008). Relationship between vertical jumping performance and anthropometric characteristics during growth in boys and girls. Eur J Pediatr, 168, 4: 457-64.

Till K, Cobley S, O'Hara J, Brightmore A, Cooke C, Chapman C. (2011). Using anthropometric and performance characteristics to predict selection in junior

UK Rugby League players. J Sci Med Sport, 14, 3: 264-9. Tim Gabbett, Jason Kelly, Steve Ralph, Damian Driscoll. (2009). Physiological and anthropometric characteristics of junior elite and sub-elite rugby league players, with special reference to starters and non-starters. Journal of Science and Medicine in sport, 12, 1: 215-222.

Veale JP, Pearce AJ, Koehn S, Carlson JS. (2008). Performance and anthropometric characteristics of prospective elite junior Australian footballers: a case study in one junior team. J Sci Med Sport, 11, 2: 227-30.

Warren B. Young, Luke Pryor. (2007). Relationship between pre-season anthropometric and fitness measures and indicators of playing performance in elite junior Australian Rules football. Journal of Science and Medicine in sports, 10, 2: 110-118.

Watts AS, Coleman I, Nevill A. (2011). The changing shape characteristics associated with success in world-class sprinters. J Sports Sci. 14.

Wilmore Jh, Costill Dl. (1999). Physiology of Sports and Exercise. Champaign: Human Kinetics.

Wong PL, Chamari K, Dellal A, Wisloff U. (2009). Relationship between anthropometric and physiological characteristics in youth soccer players. J Strength Cond Res, 23, 4: 1204-10.